

Appl. No. 10/605,072
Response dated 12/9/2004
Reply to Office Action of 9/9/2004

AMENDMENTS TO CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1-8. (canceled)

9. (currently amended) ~~The apparatus of claim 1 wherein said at least one further indented width slot is positioned away from an outer wall of said outer width slot.~~ An apparatus comprising:
an open-faced housing configured to hold at least one disk containing digital media; and,
said open-faced housing having an outer width slot comprising at least one further indented
width slot wherein said at least one further indented width slot is positioned away from an outer
wall of said outer width slot.

10-13. (canceled)

14. (currently amended) ~~The apparatus of claim 1 wherein said open faced housing is formed~~
~~into a disk bundle package.~~ An apparatus comprising:
an open-faced housing configured to hold at least one disk containing digital media; and,
said open-faced housing having an outer width slot comprising at least one further indented
width slot wherein said open-faced housing is formed into a disk bundle package.

Appl. No. 10/605,072
Response dated 12/9/2004
Reply to Office Action of 9/9/2004

15. (currently amended) ~~The apparatus of claim 1 further comprising a conical indentation to~~

~~hold a writing implement.~~ An apparatus comprising:

an open-faced housing configured to hold at least one disk containing digital media;

said open-faced housing having an outer width slot comprising at least one further indented

width slot; and,

said open-faced housing further comprising a conical indentation to hold a writing implement.

16-18. (canceled)

19. (currently amended) ~~The apparatus of claim 18 wherein said computer monitor mount open-~~

~~faced housing is located on the reverse side of a monitor mounted paper holder.~~ An apparatus

comprising:

an open-faced housing configured to hold at least one disk containing digital media; and,

said open-faced housing having an outer width slot comprising at least one further indented

width slot wherein said open-faced housing is formed into a computer monitor mount open faced

housing and wherein said computer monitor mount open-faced housing is located on the reverse

side of a monitor mounted paper holder.

20-22. (canceled)

23. (currently amended) ~~The apparatus of claim 20 further comprising a disk storage indentation~~

~~covering said outer width slot.~~ An apparatus comprising:

Appl. No. 10/605,072
Response dated 12/9/2004
Reply to Office Action of 9/9/2004

an open-faced housing configured to hold at least one disk containing digital media; and,
said open-faced housing having an outer width slot comprising at least one further indented
width slot wherein said open-faced housing is formed into a mailer; and,
said open-faced housing further comprising a disk storage indentation covering said outer width
slot.

24. (currently amended) ~~The apparatus of claim 20 further comprising a disk storage location~~
~~positioned on a reverse side of said outer width slot.~~ An apparatus comprising:
an open-faced housing configured to hold at least one disk containing digital media; and,
said open-faced housing having an outer width slot comprising at least one further indented
width slot wherein said open-faced housing is formed into a mailer; and,
said open-faced housing further comprising a disk storage location positioned on a reverse side
of said outer width slot.

25-27. (canceled)

28. (currently amended) ~~The apparatus of claim 25 further comprising a disk storage indentation~~
~~covering said slot.~~ An apparatus comprising:
an open-faced housing formed into a mailer wherein said open-faced housing is configured to
transport at least one disk containing digital media;
said open-faced housing having at least one slot configured to hold said at least one disk; and,

Appl. No. 10/605,072
Response dated 12/9/2004
Reply to Office Action of 9/9/2004

said open-faced housing further comprising a disk storage indentation covering said at least one slot.

29. (currently amended) ~~The apparatus of claim 25 further comprising a disk storage location positioned on a reverse side of said slot.~~ An apparatus comprising:
an open-faced housing formed into a mailer wherein said open-faced housing is configured to transport at least one disk containing digital media;
said open-faced housing having at least one slot configured to hold said at least one disk; and,
said open-faced housing further comprising a disk storage location positioned on a reverse side of said at least one slot.

30. (original) A method comprising:

placing a disk in a disk width slot wherein said disk width slot is further indented into an outer width slot; and,
placing a thin case in a thin case width slot wherein said thin case width slot is further indented into said outer width slot.

31. (original) The method of claim 30 further comprising:

removing said disk from said disk width slot;
removing said thin case from said thin case width slot; and,
placing a thick case in said outer width slot.